



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Statistical reports of States and cities of the United States, yearly and monthly.

CALIFORNIA—*Sacramento*.—Month of December, 1904. Estimated population, 30,000. Total number of deaths, 47, including enteric fever 1 and 8 from phthisis pulmonalis.

COLORADO—*Colorado Springs*.—Month of December, 1904. Estimated population, 30,000. Total number of deaths, 34, including 18 from tuberculosis.

CONNECTICUT.—Reports to the State board of health for the month of December, 1904, from 164 towns having an aggregate estimated population of 967,791, show a total of 1,258 deaths, including diphtheria 26, enteric fever 11, measles 2, scarlet fever 5, whooping cough 2, and 102 from phthisis pulmonalis.

ILLINOIS—*Rockford*.—Month of December, 1904. Estimated population, 37,000. Total number of deaths, 38, including diphtheria 1, enteric fever 1, and 6 from tuberculosis.

LOUISIANA—*New Orleans*.—Month of December, 1904. Estimated population, 317,000—white 233,000, colored 84,000. Total number of deaths, 552—white 337, colored 215, including diphtheria 8, enteric fever 7, whooping cough 2, and 76 from tuberculosis.

MASSACHUSETTS—*Worcester*.—Month of December, 1904. Population, 127,286. Total number of deaths, 184, including diphtheria 2, whooping cough 1, and 17 from tuberculosis.

Michigan.—Reports to the State board of health at Lansing for the week ended January 14, 1905, from 75 observers, indicate that smallpox, diphtheria, and inflammation of brain were more than usually prevalent, and scarlet fever, pneumonia, inflammation of bowels, dysentery, erysipelas, puerperal fever, whooping cough, cholera morbus, remittent fever, and meningitis were less than usually prevalent.

Whooping cough was reported present at 5, meningitis at 7, measles at 48, diphtheria at 45, pneumonia at 48, scarlet fever at 63, enteric fever at 69, smallpox at 77, and phthisis pulmonalis at 242 places.

MINNESOTA—*Minneapolis*.—Month of December, 1904. Census population, 202,718. Total number of deaths, 240, including diphtheria 7, scarlet fever 5, and 24 from tuberculosis.

NEW JERSEY—*Hoboken*.—Year ended May 4, 1904. Estimated population, 64,000. Total number of deaths, 1,237, including diphtheria 44, enteric fever 16, measles 8, scarlet fever 6, whooping cough 4, and 173 from tuberculosis.

The annual report of the board of health and vital statistics states:

There were 1,237 deaths from all causes as against 1,106 for the year ended April 30, 1903. The death rate is 23.18 per 1,000 per annum, being estimated upon a population of 64,000. This includes 282 deaths in St. Mary's Hospital, 11 on steamships, 17 in Hudson River, and 6 on railroads.

Paterson.—Month of December, 1904. Estimated population, 116,817. Total number of deaths, 173, including diphtheria 5, enteric fever 1, whooping cough 1, and 17 from tuberculosis.

NEW YORK—Auburn.—Month of December, 1904. Estimated population, 38,500. Total number of deaths, 41, including diphtheria 1 and 4 from tuberculosis.

OHIO—Cleveland.—Year ended December 31, 1904. Estimated population, 430,000. Total number of deaths, 6,476, including diphtheria 135, enteric fever 203, measles 43, scarlet fever 5, smallpox 6, whooping cough 7, and 645 from tuberculosis.

Columbus.—Month of December, 1904. Census population, 125,560. Total number of deaths 152, including diphtheria 5, enteric fever 2, and 24 from tuberculosis.

OREGON—Portland.—Month of December, 1904. Estimated population, 125,000. Total number of deaths, 122, including enteric fever 2, and 9 from tuberculosis.

WASHINGTON—Tacoma.—Month of December, 1904. Estimated population, 65,000. Total number of deaths, 43, including 7 phthisis pulmonalis.

Report of immigration at Baltimore.

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Baltimore, Md., January —, 1905.

Number of alien immigrants who arrived at this port during the week ended January 21, 1905; also names of vessels and ports from which they came.

Date.	Vessel.	Where from.	Number of aliens.
Jan. 20	Darmstadt.....	Bremen	1,149

LOUIS T. WEIS, *Commissioner.*

Report of immigration at Key West.

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Key West, Fla., January 16, 1905.

Arrival of alien steerage passengers at this port during the week ended January 14, 1905; also names of vessels and ports from which they came.

Date of arrival.	Vessel.	Where from.	Number of aliens.
Jan. 8	Azelda	Bonacco, Honduras	5
9	Martinique.....	Habana, Cuba.....	2
10	Olivette	do	9
10	Gussie	do	158
12	Mascotte	do	12
13	Martinique.....	do	9
14	Olivette	do	30
14	Equator	Nassau, New Providence.....	225
	Total	

JULIUS OTTO, *Immigrant Inspector in Charge.*